

Your Guide to SMI Adviser - Building Community and Advancing Interdisciplinary Care

November 17, 2023

CSS-SMI INITIATIVE

The Clinical Support System for Serious Mental Illness (CSS-SMI) is a Substance Abuse and Mental Health Services Administration (SAMHSA) funded initiative implemented by the American Psychiatric Association (APA).





Funding for SMI Adviser was made possible by Grant No. SM080818 from SAMHSA of the U.S. Department of Health and Human Services (HHS). The contents are those of the author(s) and do not necessarily represent the official views of, nor an endorsement by, SAMHSA/HHS or the U.S. Government.



FACULTY



Rob Cotes, MD, DFAPA

Physician Expert, SMI Adviser

Associate Professor
Director, Clinical & Research Program for Psychosis at Grady Health System
Director, Project ARROW
Emory University School of Medicine
Department of Psychiatry and Behavioral Sciences





DISCLOSURES

- Received research funding (to institution) from Otsuka, Roche, Karuna, and Alkermes.
- Speaker and consultant to Saladax Biomedical
- Speaker for Clinical Care Options.



LEARNING OBJECTIVES

Upon completion of this activity, participants will be able to:

- 1. Demonstrate knowledge of the available resources on SMI Adviser's educational catalog and knowledge base.
- 2. Outline the process of accessing SMI Adviser's consultation service, demonstrating the ability to effectively seek guidance to help make evidence-based treatment decisions.
- 3. List and describe three tools in SMI Adviser's Clozapine or Long-Acting Injectable Center of Excellence.





Overview

www.SMladviser.org





SMI ADVISER VISION STATEMENT

To transform care for people who have serious mental illness so they can live their best lives.



SMI ADVISER IS...

A national initiative that serves clinicians and providers across all mental heath practice settings

Focuses on the three most common conditions associated with serious mental illness: bipolar disorder, major depressive disorder, and schizophrenia





SMI ADVISER OFFERS...












MULTIPLATFORM CONTENT DELIVERY



Visit at SMIadviser.org



Download at SMIadviser.org/app







www.SMladviser.org







www.SMladviser.org






SMI ADVISER EDUCATION CATALOG

Total courses available at no cost to the field: 270+

Live and on-demand one-hour webinars

Interactive, 12-week Virtual Learning Collaboratives







SMI ADVISER EDUCATION CATALOG

Opportunity to ask questions on key topics during live webinars

Focus on important, unique, real-world topics around SMI

- The Utilization of Medication for Opioid Use Disorder in an Outpatient Setting
- Overcoming Barriers and Unlocking Clozapine: A Panel Shares Clinic, System, and State-wide Strategies
- Treating Transitional Age Youth with Clozapine








VIRTUAL LEARNING COLLABORATIVES

- Hands-on, in-depth, interactive online courses led by subject matter experts
- Real-world, evidencebased approach to address specific topics and challenges around SMI








POPULAR VIRTUAL LEARNING COLLABORATIVES

12-week, interactive courses led by SMI Adviser clinical experts

Hands-on, peer-to-peer, skill-building with real-world, practical applications

- Introduction to Serious Mental Illness
- Mastering the Safe and Effective Use of Long-Acting Injectable Antipsychotics
- Mastering Clozapine: Increasing Confidence and Improving Outcomes







VLC: CLOZAPINE

Mostly asynchronous with office hours roughly every other week

At the end of the VLC participants produce a deliverable for measuring clozapine side effects

Schedule/Agenda

Pre-Work: Welcome and Overview

Module 1: Clozapine Overview: Efficacy and Mechanism of Action

Module 2: Pharmacokinetics and Interpreting Clozapine levels

Module 3: Hematological Considerations and Side Effects

Module 4: Metabolic Considerations and Side Effects

Module 5: Cardiac Considerations and Side Effects

Module 6: GI Considerations and Side Effects

Module 7: Other Side Effects (Sialorrhea, Pneumonia, VTE, Enuresis)

Module 8: Neurological Side Effects

Module 9: Managing Partial Response and Treatment Resistance

Module 10: Team-based approaches to clozapine (e.g., clozapine clinics)

Module 11: Measuring side effects

Module 12: Presentation of SE monitoring protocol

Program/Syllabus Ends







www.SMladviser.org





SMI ADVISER KNOWLEDGE BASE

Resources for clinicians: 1,100+

© 2023 American Psychiatric Association, All rights reserved.

Our online Knowledge Base is completely FREE

All content is vetted by our Clinical Expert Team







KNOWLEDGE BASE EXAMPLE – INTERPRETING CLOZAPINE LEVELS



🚫 / Knowledge Base (Clinicians) / How Do I Interpret Clozapine Or Norclozapine Blood, Serum Or Plasma Levels; What Do These...

How do I interpret clozapine or norclozapine blood, serum or plasma levels; What do these mean?☆

Rationale for Clozapine Levels

Blood levels of medications (serum or plasma) are used because, compared with oral dosage, they correlate more closely with medication concentration in the brain. With regard to clozapine, blood levels are available for clozapine, and for norclozapine, the major active clozapine metabolite.

Levels should not be the primary determinant of dosage, but can play an important role in guiding treatment, in conjunction with clinician assessment of symptoms and side effects.

There are situations when a clozapine level can be useful: to assess medication adherence, when clozapine is less effective than expected, when there are more side effects than expected, or when medication interactions are suspected. Additionally, clozapine levels can be helpful for special populations, like older adults, children or adolescents, people with intellectual disabilities, people with hepatic impairment, or women who are pregnant. Levels can be useful when there are changes that might be affecting P450 metabolism, such as stopping or starting smoking around hospital admissions.

Timing of Clozapine Levels

Levels should be a steady state, trough level. Clozapine reaches a steady-state concentration at 5-7 days. Levels should be drawn 12 hours (± 2 h) after the last dose.

Relationship between Clozapine Levels and Efficacy

Clozapine blood levels are correlated with both clozapine effectiveness and side effects. However, there is large variation between patients in blood levels. There is also substantial variation within patients (plus or minus 30% in some studies). Given the inter-patient variability, there is no minimum effective clozapine level and no maximum safe level. The mean threshold response for people with treatment resistant schizophrenia is 350 ng/ml. If a patient still has positive symptoms and has a clozapine level <350 ng/mL, prescribers should consider increasing the clozapine dose to correspond with a level >350 ng/ml. Patients rarely respond to levels >1000 ng/ml.





PARTICIPATION IN OUR EDUCATION

Total Number of Learners 75,900+

"It was one of the best webinar/virtual learning sessions I've participated in over the last decade. I left with useful, practical, information and resources to implement immediately."

"Very helpful education. I have zero experience with motivational interviewing and am finding this course to be a valuable experience."

"A good refresher on...how best to connect with individuals you work with to develop the needed relationship that will facilitate growth for the individual and not cause them to disconnect with your service and their goals."






SMI ADVISER APP








Download at SMIAdviser.org/app






MY MENTAL HEALTH CRISIS PLAN

- Individuals and family members can use the app
- Facilitators can help individuals create a PAD





MY MENTAL HEALTH CRISIS PLAN



The app allows individuals to:

- Clearly state their treatment preferences
- Designate someone to legally make decisions on their behalf
- Update their PAD at any time and access it right in the app
- Easily share their PAD with family members and friends
- Provide clinicians with access to all information in their PADs

SMIadviser.org/padapp





